Application No.	Applicant(s)		
09/551,802	UNDERBRINK, PAUL A.		
Examiner	Art Unit	. <u>.</u>	
David B. Lugo	2637		
The MAILING DATE of this communication appears on the cover sheet with the correspondence address All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS. This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.			
1. This communication is responsive to <u>amendment filed 10/13/04</u> .			
2. The allowed claim(s) is/are <u>1-11,13-23,25-35,37-47 and 49-66.</u>			
3. The drawings filed on 18 April 2000 are accepted by the Examiner.			
 4. Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f). a) All b) Some* c) None of the: 1. Certified copies of the priority documents have been received. 2. Certified copies of the priority documents have been received in Application No. 3. Copies of the certified copies of the priority documents have been received in this national stage application from the International Bureau (PCT Rule 17.2(a)). * Certified copies not received: 			
Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application. THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.			
5. A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.			
 6. CORRECTED DRAWINGS (as "replacement sheets") must be submitted. (a) including changes required by the Notice of Draftsperson's Patent Drawing Review (PTO-948) attached 1) hereto or 2) to Paper No./Mail Date (b) including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d). 			
7. DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.			
6. ☐ Interview Summary Paper No./Mail Date 7. ☐ Examiner's Amendm	(PTO-413), e nent/Comment	·	
	David B. Lugo ars on the cover sheet with the coordinate appropriate communication in SHTS. This application is subject to and MPEP 1308. 304. 66. aminer. der 35 U.S.C. § 119(a)-(d) or (f). been received. been received in Application No uments have been received in this reference in the properties of this application. fthis communication to file a reply of this application. ted. Note the attached EXAMINER's reason(s) why the oath or declarate be submitted. on's Patent Drawing Review (PTO-State of Information in the Other of BIOLOGICAL MATERIAL more than the declaration of the drawing in the properties of the properties o	Examiner David B. Lugo David B. Lugo	

DETAILED ACTION

Response to Arguments

1. Applicant's arguments, see pages 35-40, filed 10/13/04, with respect to claims 1-11, 13-23, 25-35, 37-47 and 49-66 have been fully considered and are persuasive. The rejection of claims 1-11, 13-23, 25-35, 37-47 and 49-66 has been withdrawn.

Allowable Subject Matter

- 2. Claims 1-11, 13-23, 25-35, 37-47 and 49-66 are allowed.
- 3. The following is an examiner's statement of reasons for allowance:

Lin U.S. Patent 6,167,347 discloses a spread spectrum detector in Figure 3 where a Doppler remover 251 removes Doppler shift prior to correlation and integration. Shakeri et al. U.S. PG Pub 2002/0012387 disclose a spread spectrum detector in Figure 2 where Doppler circuit 250 removes Doppler shifts on the correlation outputs from correlator 230. However, the prior art of record fails to teach a spread spectrum detector where a set of first correlation values are produced based upon a received signal, a Doppler shift, and a code, and a second set of correlation values are generated from the first correlation values by combining a correction for the Doppler shift error with each of the first correlation values, and the second correlation values are then integrated to derive a value that indicates a degree of correspondence of the code with the signal.

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

Application/Control Number: 09/551,802 Page 3

Art Unit: 2637

Conclusion

Any inquiry concerning this communication or earlier communications from the examiner should be directed to David B. Lugo whose telephone number is 571-272-3043. The examiner can normally be reached on M-F; 9:30-6.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Jay Patel can be reached on 571-272-2988. The fax phone number for the organization where this application or proceeding is assigned is 703-872-9306.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

David B. Lugo 2/17/05

Mounicang (Inchinent Company Company Examples)